

FIG. 1




FIG. 2




FIG. 3




FIG. 4A




FIG. 4B








FIG. 4C















FIG. 5


T2-Kb cells stained with:





Soluble 3SQ2:biotin on T2-K^b with peptide:








FIG. 6




FIG. 7




FIG. 8




FIG. 9

Inventors: Kranz et al. USSN: Not assigned

Atty Docket: 89-99A Filed: February 20, 2004

| Wild Type TCR | VaCDR3 | | |
|------------------|---|--|--|
| 2C | ⁹³ SGFASAL ¹⁰⁴ (SEQ ID NO:7) | | |

| Mutant TCR | VaCDR3 | Mutant TCR | VαCDR3 |
|---------------|------------------------|---------------|------------------------|
| q2r | SSYGNYL (SEQ ID NO:8) | qlr | SLPPPLL (SEQ ID NO:17) |
| q4r | SRRGHAL (SEQ ID NO:9) | q3r | SIPTPSL (SEQ ID NO:18) |
| q5r | SSRGTAL (SEQ ID NO:10) | qL6 | SNPPPLL (SEQ ID NO:19) |
| q6r | SHFGTRL (SEQ ID NO:11) | qL7 | SDPPPLL (SEQ ID NO:20) |
| qL1 | SMFGTRL (SEQ ID NO:12) | qL8 | SSPPPRL (SEQ ID NO:21) |
| qL2 | SHQGRYL (SEQ ID NO:13) | qL10 | SAPPPIL (SEQ ID NO:22) |
| qL3 | SYLGLRL (SEQ ID NO:14) | | |
| qL4 | SKHGIHL (SEQ ID NO:15) | | |
| qL5 | SLTGRYL (SEQ ID NO:16) | | |

Inventors: Kranz et al. USSN: Not assigned

Atty Docket: 89-99A Filed: February 20, 2004

| •3SQ5 | SGTHPFL (SEQ ID NO:23) |
|-------------|------------------------|
| SK7 | SGHLPFL (SEQ ID NO:24) |
| K5r | SDSKPFL (SEQ ID NO:25) |
| K4r | SSDRPYL (SEQ ID NO:26) |
| SK8 | SLERPYL (SEQ ID NO:27) |
| SK2 | SREAPYL (SEQ ID NO:28) |
| K3r | SLHRPAL*(SEQ ID NO:29) |
| 3SQ2 | SLHRPAL*(SEQ ID NO:30) |
| SK10 | SSNRPAL (SEQ ID NO:31) |
| K1r | STDRPSL (SEQ ID NO:32) |
| K2r | SGSRPTL (SEQ ID NO:33) |
| •SK3 | SLVTPAL (SEQ ID NO:34) |
| SK1 | SATSPAL (SEQ ID NO:35) |
| SK9 | SSINPAL (SEQ ID NO:36) |
| SK4 | SASYPSL (SEQ ID NO:37) |
| •3SQ1 | SRWTSGL (SEQ ID NO:38) |
| • Consensus | SGSRPAL (SEQ ID NO:39) |

FIG. 11

HIGH AFFINITY TCR PROTEINS AND METHODS

Inventors: Kranz et al. USSN: Not assigned Atty Docket: 89-99A Filed: February 20, 2004

| Clone | CDR3α | | |
|-------|------------------------|--|--|
| 4d1 | SLTHHFL (SEQ ID NO:40) | | |
| 4d2 | SMTHHFL (SEQ ID NO:41) | | |
| 3Sd3 | SLSRPYL (SEQ ID NO:42) | | |
| 3dS6 | SLTRPYL (SEQ ID NO:43) | | |
| 3dS2 | STYRHYL (SEQ ID NO:44) | | |
| 3d2 | SGLARPL (SEQ ID NO:45) | | |
| 3SQ2 | SLHRPAL (SEQ ID NO:46) | | |
| 3SQ5 | SGTHPFL (SEQ ID NO:47) | | |

FIG. 12

HIGH AFFINITY TCR PROTEINS AND METHODS

Inventors: Kranz et al.
USSN: Not assigned

Atty Docket: 89-99A
Filed: February 20, 2004

| Clone | CDR3β | | | |
|-------|------------------------|--|--|--|
| WT 2C | GGGGTLY (SEQ ID NO:48) | | | |
| QB2 | GGGGVLY (SEQ ID NO:49) | | | |
| QB4 | GLGGILY (SEQ ID NO:50) | | | |
| QB6/8 | GQGGVLY (SEQ ID NO:51) | | | |
| QB7 | GSGGIIY (SEQ ID NO:52) | | | |
| QB9 | GGGGILY (SEQ ID NO:53) | | | |

| Clone | 95 | 96 | 97 | 98 | 105 | 106 | 107 |
|-------|-----|-------------|-------------|-------------|-----|------------|-----|
| WT 2C | GGT | GGG | GGG | GGC | ACC | TTG | TAC |
| QB2 | GGT | GGG | GGG | GG <u>G</u> | GTG | TTG | TAC |
| QB4 | GGT | TTG | GGG | GG <u>G</u> | ATC | <u>CTC</u> | TAC |
| QB6/8 | GGT | CAG | GG <u>C</u> | GG <u>G</u> | GTG | TTG | TAC |
| QB7 | GGT | TCG | GGG | GG <u>G</u> | ATC | ATC | TAC |
| QB9 | GGT | GG <u>C</u> | GGG | GG <u>G</u> | ATC | TTG | TAC |

FIG. 13